

ALKON®

PRODUCT
CATALOG
2025-26

The right storage solution for every need




Bins / Louvre / Rail Details




SUPRA BINS

RHINO TUFF BINS

HIPPO BINS

BULL BINS

BINS	SR NO	ART NO	OUTER DIMENSIONS			INNER DIMENSIONS			EFFECTIVE HEIGHT	STD. PACK	Volume Per Box CBM
			Length	Width	Height	Length	Width	Height			
SUPRA BINS  	1.	SB 1	125	98	60	117	80	52	25	60	0.0458
	2.	SB 2	170	95	84	157	80	75	40	60	0.0855
	3.	SB 3	220	130	125	200	115	115	73	50	0.1954
	4.	SB 4	290	178	143	265	155	130	80	10	0.0786
	5.	SB 5	290	363	145	265	340	130	83	5	0.0786
	6.	SB 6	440	180	145	415	154	130	85	10	0.1193
	7.	SB 7	435	425	215	405	380	208	120	6	0.1175
	8.	SB 7X	435	400	215	405	360	208	120	6	0.1148
	9.	SB 8	600	425	300	530	375	290	170	5	0.1622
RHINO TUFF BINS  	10.	ARTB-05	109	104	49	95	89	43	23	60	0.0383
	11.	ARTB-10	136	106	76	125	90	65	28	60	0.0688
	12.	ARTB-20	187	106	76	171	90	65	32	40	0.0639
	13.	ARTB-25	205	139	126	190	115	121	61	40	0.1512
	14.	ARTB-30	274	140	127	256	115	115	56	40	0.2102
	15.	ARTB-35	280	210	179	255	170	160	80	20	0.2098
	16.	ARTB-40	375	210	179	355	170	160	80	10	0.1537
	17.	ARTB-50	457	280	255	432	241	240	108	6	0.2079
	18.	ARTB-60	375	415	179	355	375	160	80	5	0.1537
	19.	ARTB-70	460	420	292	435	375	282	155	3	0.1805
HIPPO BINS  	20.	612/T	100	110	53	80	90	43	25	60	0.0235
	21.	612/S	150	110	75	130	90	68	40	60	0.0820
	22.	612/S2	175	115	75	150	90	64	40	40	0.0571
	23.	612/M	250	165	125	225	132	115	67	40	0.2084
	24.	612/DW	250	344	125	210	312	115	67	20	0.2208
	25.	612/B	355	220	150	330	182	138	85	10	0.1243
	26.	612/J	515	330	200	470	295	180	115	8	0.2677
BULL BINS  	27.	BULL BIN 5	168	102	74	145	86	66	38	60	0.0801
	28.	BULL BIN 15	201	125	101	178	105	92	48	40	0.1056
	29.	BULL BIN 25	229	150	126	192	128	114	58	50	0.2129
	30.	BULL BIN 35	300	208	158	255	185	145	80	20	0.2087
	31.	BULL BIN 45	348	210	200	305	187	185	110	10	0.1539
	32.	BULL BIN 55	510	310	200	480	280	195	85	8	0.2677
TOTE BINS  	33.	AK-421	400	255	100	365	230	90	90	10	0.1014
	34.	AK-422	400	255	200	365	230	190	190	5	0.1025
MAMMOTH BINS 	35.	AM83M	820	315	300	740	250	290	175	8	0.209
	36.	AM83S	820	315	300	740	250	290	175	8	0.209

All dimensions in mm Approx

BINS SIZE COMPARISON CHART

ALKON



TOTE BINS



MAMMOTH BINS



PANDA SHELF BINS



KOALA PICK BINS

BINS	SR NO	ART NO	OUTER DIMENSIONS			INNER DIMENSIONS			EFFECTIVE HEIGHT	STD. PACK	Volume Per Box CBM
			Length	Width	Height	Length	Width	Height			
PANDA SHELF BINS 	37.	PSB 301	315	100	60	293	86	55	55	24	0.0530
	38.	PSB 302	315	100	110	293	86	105	105	24	0.0888
	39.	PSB 303	315	150	110	293	136	105	105	12	0.0677
	40.	PSB 304	315	220	135	293	210	130	130	12	0.1221
	41.	PSB 305	315	300	135	293	282	130	130	6	0.0828
	42.	PSB 306	315	300	185	293	282	180	180	6	0.1082
	43.	PSB 401	415	100	60	393	86	55	55	24	0.0650
	44.	PSB 402	415	100	110	393	86	105	105	24	0.1165
	45.	PSB 403	415	150	110	393	136	105	105	12	0.0881
	46.	PSB 404	415	220	135	393	210	130	130	12	0.1517
	47.	PSB 405	415	300	135	393	282	130	130	6	0.1048
	48.	PSB 406	415	300	185	393	282	180	180	6	0.1415
	49.	PSB 451	465	100	60	443	86	55	55	24	0.0633
	50.	PSB 452	465	100	110	443	86	105	105	24	0.1191
	51.	PSB 453	465	150	110	443	136	105	105	12	0.0894
	52.	PSB 454	465	220	135	443	210	130	130	12	0.1595
	53.	PSB 455	465	300	135	443	282	130	130	6	0.1143
	54.	PSB 456	465	300	185	443	282	180	180	6	0.1582
	55.	PSB 501	515	100	60	493	86	55	55	24	0.0823
	56.	PSB 502	515	100	110	493	86	105	105	24	0.1456
	57.	PSB 503	515	150	110	493	136	105	105	12	0.1082
	58.	PSB 504	515	220	135	493	210	130	130	12	0.1971
	59.	PSB 505	515	300	135	493	282	130	130	6	0.1301
	60.	PSB 506	515	300	185	493	282	180	180	6	0.1748
	61.	PSB 601	615	100	60	593	86	55	55	24	0.0869
	62.	PSB 602	615	100	110	593	86	105	105	12	0.0869
	63.	PSB 603	615	150	110	593	136	105	105	12	0.1306
	64.	PSB 604	615	220	135	593	210	130	130	12	0.2201
	65.	PSB 605	615	300	135	593	282	130	130	6	0.1513
	66.	PSB 606	615	300	185	593	282	180	180	6	0.2081
KOALA PICK BINS 	67.	AKP-01	130	105	60	105	90	55	26	64	0.0319
	68.	AKP-11	180	105	90	155	90	85	42	40	0.0414
	69.	AKP-22	220	140	140	195	125	135	65	24	0.0475
	70.	AKP-32	300	140	140	270	125	135	65	24	0.0617
	71.	AKP-33	300	215	140	270	200	135	65	16	0.0679
	72.	AKP-35	300	435	140	270	410	135	65	8	0.0855
	73.	AKP-42	400	145	200	360	125	195	95	18	0.0905
	74.	AKP-43	400	215	200	360	200	195	95	12	0.0905
	75.	AKP-64	605	292	200	540	272	195	110	6	0.0837

Many More
To Come

All dimensions in mm Approx

- Panda Bins of all sizes are available in Blue colour with partitions in Black colour only.
- Panda Bins of 300mm & 400mm depth are also available in Transparent Colour with Transparent Partitions.
- Koala Pick Bins are available in Blue colour only.
- Hippo Bin (Small) 612/S is available in Red, Blue, Grey, Green, Yellow & Black colours in multiples of standard packing only.
- Supra Bins/ Rhino Tuff Bins/ Hippo Bins/ Bull Bins are supplied in Red & Blue colour in multiples of standard packing, these bins can also be supplied in Grey, Green & Yellow colours, subject to MOQ of 500 pcs. per colour in multiples of standard packing.

SR. NO	ART NO	ALKON LOUVRE PANEL				BINS PER RAIL
		LP 1	LP 2	LP 3	LP 6	
		SUPRA BINS				
1	SB 1	4H x 6V = 24	4H x 8V = 32	4H x 12V = 48	4H x 24V = 96	9
2	SB 2	4H x 4V = 16	4H x 5V= 20	4H x 8V = 32	4H x 16V = 64	9
3	SB 3	3H x 3V = 9	3H x 4V = 12	3H x 6V = 18	3H x 12V = 36	7
4	SB 4	2H x 3V = 6	2H x 4V = 8	2H x 6V = 12	2H x 12V = 24	5
5	SB 5	1H x 3V = 3	1H x 4V = 4	1H x 6V = 6	1H x 12V = 12	2
6	SB 6	2H x 3V = 6	2H x 4V = 8	2H x 6V = 12	2H x 12V = 24	5
RHINO TUFF BINS						
1	ARTB-05	4H x 6V = 24	4H x 8V = 32	4H x 12V = 48	4H x 24V = 96	8
2	ARTB-10	4H x 4V = 16	4H x 5V= 20	4H x 8V = 32	4H x 16V = 64	8
3	ARTB-20	4H x 4V = 16	4H x 5V= 20	4H x 8V = 32	4H x 16V = 64	8
4	ARTB-25	3H x 3V = 9	3H x 4V = 12	3H x 6V = 18	3H x 12V = 36	6
5	ARTB-30	3H x 3V = 9	3H x 4V = 12	3H x 6V = 18	3H x 12V = 36	6
6	ARTB-35	2H x 2V = 4	2H x 3V = 6	2H x 4V = 8	2H x 9V = 18	4
7	ARTB-40	2H x 2V = 4	2H x 3V = 6	2H x 4V = 8	2H x 9V = 18	4
8	ARTB-60	1H x 2V = 2	1H x 3V = 3	1H x 4V = 4	1H x 9V = 9	2
HIPPO BINS						
1	612/T	4H x 6V = 24	4H x 8V = 32	4H x 12V = 48	4H x 24V = 96	8
2	612/S	4H x 4V = 16	4H x 5V= 20	4H x 8V = 32	4H x 16V = 64	8
3	612/S2	4H x 4V = 16	4H x 5V= 20	4H x 8V = 32	4H x 16V = 64	8
4	612/M	2H x 3V = 6	2H x 4V = 8	2H x 6V = 12	2H x 12V = 24	5
5	612/DW	1H x 3V = 3	1H x 4V = 4	1H x 6V = 6	1H x 12V = 12	2
6	612/B	2H x 2V = 4	2H x 3V = 6	2H x 5V = 10	2H x 10V = 20	4
BULL BINS						
1	BULL BIN 5	4H x 6V = 24	4H x 8V= 32	4H x 12V = 48	4H x 24V = 96	9
2	BULL BIN 15	3H x 4V = 12	3H x 5V = 15	3H x 8V = 24	3H x 16V = 48	7
3	BULL BIN 25	3H x 3V = 9	3H x 4V = 12	3H x 6V = 18	3H x 12V = 36	6
4	BULL BIN 35	2H x 2V = 4	2H x 3V = 6	2H x 5V = 10	2H x 10V = 20	4
5	BULL BIN 45	2H x 2V = 4	2H x 3V = 6	2H x 4V = 8	2H x 8V = 16	4
KOALA PICK BINS						
1	AKP-01	4H x 6V = 24	4H x 8V = 32	4H x 12V = 48	4H x 24V = 96	8
2	AKP-11	4H x 4V = 16	4H x 5V= 20	4H x 8V = 32	4H x 16V = 64	8
3	AKP-22	3H x 3V = 9	3H x 4V = 12	3H x 6V = 18	3H x 12V = 36	6
4	AKP-32	3H x 3V = 9	3H x 4V = 12	3H x 6V = 18	3H x 12V = 36	6
5	AKP-33	2H x 3V = 6	2H x 4V = 8	2H x 6V = 12	2H x 12V = 24	4
6	AKP-35	1H x 3V = 3	1H x 4V = 4	1H x 6V = 6	1H x 12V = 12	2

H = Horizontal Row, V = Vertical column.

MAXIMUM NUMBER OF BINS PER SINGLE OR DOUBLE SIDED TUFF STANDS & TUFF TROLLEY

ALKON


SR. NO	ART NO	ALKON TUFF STAND		ALKON TUFF TROLLEY	
		BINS PER SINGLE SIDE	BINS PER DOUBLE SIDE	BINS PER SINGLE SIDE	BINS PER DOUBLE SIDE
SUPRA BINS					
1	SB 1	9H x 24V=216	9H x 24V x 2 sides=432	9H x 16V=144	9H x 16V x 2 sides = 288
2	SB 2	9H x 16V=144	9H x 16V x 2 sides=288	9H x 10V=90	9H x 10V x 2 sides = 180
3	SB 3	6H x 12V = 72	6H x 12V x 2 sides=144	6H x 8V = 48	6H x 8V x 2 sides = 96
4	SB 4	5H x 12V= 60	5H x 12V x 2 sides=120	5H x 8V= 40	5H x 8V x 2 sides = 80
5	SB 5	2H x 12V=24	2H x 12V x 2 sides=48	2H x 8V=16	2H x 8V x 2 sides = 32
6	SB 6	5H x 12V= 60	5H x 12V x 2 sides=120	5H x 8V= 40	5H x 8V x 2 sides = 80
RHINO TUFF BINS					
1	ARTB-05	8H x 24V = 192	8H x 24V x 2 sides = 384	8H x 16V = 128	8H x 16V x 2 sides = 256
2	ARTB-10	8H x 16V = 128	8H x 16V x 2 sides = 256	8H x 11V = 88	8H x 11V x 2 sides = 176
3	ARTB-20	8H x 16V = 128	8H x 16V x 2 sides = 256	8H x 11V = 88	8H x 11V x 2 sides = 176
4	ARTB-25	6H x 12V = 72	6H x 12V x 2 sides = 144	6H x 8V = 48	6H x 8V x 2 sides = 96
5	ARTB-30	6H x 12V = 72	6H x 12V x 2 sides = 144	6H x 8V = 48	6H x 8V x 2 sides = 96
6	ARTB-35	4H x 9V = 36	4H x 9V x 2 sides= 72	4H x 6V = 24	4H x 6V x 2 sides = 48
7	ARTB-40	4H x 9V = 36	4H x 9V x 2 sides= 72	4H x 6V = 24	4H x 6V x 2 sides = 48
8	ARTB-60	2H x 9V = 18	2H x 9V x 2 sides= 36	2H x 6V = 12	2H x 6V x 2 sides = 24
HIPPO BINS					
1	612/T	8H X 24V = 192	8H X 24V x 2 sides= 384	8H X 16V = 128	8H X 16V x 2 sides = 256
2	612/S	7H X16V = 112	7H X 16V x 2 sides = 224	7H X 11V = 77	7H X 11V x 2 sides = 154
3	612/S2	7H X 16V = 112	7H X 16V x 2 sides = 224	7H X 11V = 77	7H X 11V x 2 sides = 154
4	612/M	5H X 12V = 60	5H X 12V x 2 sides = 120	5H X 8V = 40	5H X 8V x 2 sides = 80
5	612/DW	2H X 12V = 24	2H X 12V x 2 sides = 48	2H X 8V = 16	2H X 8V x 2 sides = 32
6	612/B	4H X 10V = 40	4H X 10V x 2 sides = 80	4H X 7V = 28	4H X 7V x 2 sides = 56
BULL BINS					
1	BULL BIN 5	8H x 16V = 128	8H x 16V x 2 sides= 256	8H x 11V = 88	8H x 11V x 2 sides= 176
2	BULL BIN 15	7H x 16V = 112	7H x 16V x 2 sides= 224	7H x 11V = 77	7H x 11V x 2 sides= 154
3	BULL BIN 25	6H x 12V = 72	6H x 12Vx 2 sides = 144	6H x 8V = 48	6H x 8V x 2 sides = 96
4	BULL BIN 35	4H x 10V =40	4H x 10V x 2 sides = 80	4H x 7V =28	4H x 7V x 2 sides = 56
5	BULL BIN 45	4H x 8V =32	4H x 8V x 2 sides = 64	4H x 6V =24	4H x 6V x 2 sides = 48
KOALA PICK BINS					
1	AKP-01	8H x 24V = 192	8H x 24V x 2 sides = 384	8H x 16V = 128	8H x 16V x 2 sides = 256
2	AKP-11	8H x 16V = 128	8H x 16V x 2 sides = 256	8H x 11V = 88	8H x 11V x 2 sides = 176
3	AKP-22	6H x 12V = 72	6H x 12V x 2 sides = 144	6H x 8V = 48	6H x 8V x 2 sides = 96
4	AKP-32	6H x 12V = 72	6H x 12V x 2 sides = 144	6H x 8V = 48	6H x 8V x 2 sides = 96
5	AKP-33	4H x 12V = 48	4H x 12V x 2 sides = 96	4H x 8V = 32	4H x 8V x 2 sides = 64
6	AKP-35	2H x 12V = 24	2H x 12V x 2 sides = 48	2H x 8V = 16	2H x 8V x 2 sides = 32

H = Horizontal Row, V = Vertical column.

Efficient storage, space optimization, ergonomic & innovative storage solutions.



Roo Tilt Bin
Rotary Stands



Material Handling Bins



Multi & Modular
Systems



Filing
Systems




Component
Organisers



Panda Shelving Systems



Rack Protectors
& Deflectors



Floor
Gratings



ALKON PLASTICS PVT. LTD.

- 📍 Regd. Office : 801, Embassy Chamber, 3rd Road, Khar (W),
Mumbai - 400 052, Maharashtra, INDIA.
- ☎ Tel.: 0091- 22- 6501 2010, 2086 6030.
- ✉ E mail : sales@alkonplastics.com
- 🌐 Website : www.alkonplastics.com

This Catalog should not be reproduced as it is covered under Copyright Act.

